



Cascade Aqua-Tech Ltd.
Sealant and Coating Conversions

| Joint Size | Lineal Feet Per 300 mL Ctg. | Lineal Feet Per 1.5 U.S. Gal. Pail | Joint Size | Lineal Feet Per 300 mL Ctg. | Lineal Feet Per 1.5 U.S. Gal. Pail |
|------------|--------------------------------|---------------------------------------|------------|--------------------------------|---------------------------------------|
| 1/8 x 1/8 | 98 | 1848 | 3/8 x 3/4 | 5.5 | 104 |
| 1/8 x 1/4 | 49 | 924 | 3/8 x 7/8 | 4.7 | 89 |
| 1/8 x 3/8 | 33 | 615 | 3/8 x 1 | 4.1 | 77 |
| 1/8 x 1/2 | 24 | 462 | 1/2 x 1/2 | 6.1 | 116 |
| 1/8 x 5/8 | 20 | 369 | 1/2 x 5/8 | 4.9 | 93 |
| 1/8 x 3/4 | 16.3 | 308 | 1/2 x 3/4 | 4.1 | 77 |
| 1/8 x 7/8 | 14.0 | 264 | 1/2 x 7/8 | 3.5 | 66 |
| 1/8 x 1 | 12.2 | 231 | 1/2 x 1 | 2.9 | 54 |
| 1/4 x 1/4 | 24.4 | 462 | 5/8 x 5/8 | 3.9 | 74 |
| 1/4 x 3/8 | 16.3 | 308 | 5/8 x 3/4 | 3.3 | 62 |
| 1/4 x 1/2 | 12.2 | 231 | 5/8 x 7/8 | 2.8 | 53 |
| 1/4 x 5/8 | 9.8 | 185 | 5/8 x 1 | 2.5 | 47 |
| 1/4 x 3/4 | 8.2 | 155 | 3/4 x 3/4 | 2.7 | 51 |
| 1/4 x 7/8 | 7.0 | 132 | 3/4 x 7/8 | 2.3 | 44 |
| 1/4 x 1 | 5.7 | 108 | 3/4 x 1 | 1.9 | 36 |
| 3/8 x 3/8 | 10.9 | 206 | 7/8 x 7/8 | 2.1 | 39 |
| 3/8 x 1/2 | 8.1 | 153 | 7/8 x 1 | 1.7 | 33 |
| 3/8 x 5/8 | 6.5 | 123 | 1 x 1 | 1.5 | 29 |

Imperial Fluid Measure

1 Imp fl. oz. = 28.41 ml
 1 Imp Quart = 40 Imp. fl. oz. = 1.136 L
 1 Imp Gallon = 160 Imp fl. oz. = 4.546 L
 1 Imp Gallon = 277 cu. in. = 0.16 cu. ft.

U.S. Fluid Measure

1 U.S. fl. oz. = 29.57 mL
 1 U.S. Quart = 32 U.S. fl. oz. = 946 mL
 1 U.S. Gallon = 128 U.S. fl. oz. = 3.785 L
 1 U.S. Gallon = 231 cu. in. = 0.134 cu. ft.

1 ml = 1 cc = 1 cu. cm

1 L = 1000 ml = 1000 cm = 60.19 cu. in.

1000 L = 1 cubic metre

1 metre = 1.09 yds = 3.28 ft. = 39.37 in.

1 sq. metre = 1.20 sq. yds = 10.76 sq. ft. = 1550 sq. in.

1 cubic metre = 1.31 cu. yds = 35.31 cu. ft. = 61023 cu. in. = 1000 L

1 mil = 1/1000 in. = 0.0254 mm

1 wet mill *will cover* 1600 sq. ft. per U.S. Gallon = 39.3 sq. metres per Litre

1 wet mil of *coating will dry to* 1 dry mil x percentage solids by volume

1 MPa = 1000 KPa = 145 psi