KLEIN

Sliding doors with soft closing system

ROLLGLASS+

Interior Design Glass
Interiorismo vidrio

CERTIFIED cradle to cradle BRONZE

reddot award 2018
winner

SILVER

BRONZE

BLACK

KBS

KSC

ENG

Rollglass+: creates a glass front that combines fixed and mobile glass panels on a single track. It can be hidden in a drop ceiling for a completely minimalist effect. Versatile and flexible, it allows for various combinations, down to the smallest detail.

- Installation on ceiling or in drop ceiling.
- Special profile with hidden dropped ceiling wings for maximum architectural integration.
- A new clamp which centralises all features of the system: height adjustment, activation of the braking mechanism, and anti-derailing device.
- Fast and intuitive assembly for efficient implementation:
  - Direct access to the clamp.
  - System embedded in drop ceiling: two-phase assembly for easy installation.
  - Bottom profile in a double "L" shape for easy frontal insertion of the glass.
- Clean, innovative design.
- Available with or without bottom profile for the fixed glass.
- 3/8" or 1/2" glass, weighing up to 550 lbs per sliding panel.
- Height adjustment of +/- 1/8".
- Silver, Black and Bronze anodized aluminum profiles.
- Silent and effortless sliding.
- Cradle To Cradle certified product for Rollglass+ 50 and 100.
- Five-year KLEIN® warranty.
- Soft closing options:
  - **KSC, Klein Soft Closing**: Smooth, controlled closing.
  - **KBS, Klein Brake System**: Stop with damper brake. Standard for the entire line.

Systems tested up to 100,000 cycles as per standard EN1527 by

ESP

Rollglass+: crea un frente acristalado que combina paneles de vidrio fijos y móviles mediante una única guía. Puede esconderse en falso techo para un efecto absolutamente minimalista. Versátil y flexible, permite variadas combinaciones y cuida todos los detalles.

- Instalación a techo o a falso techo.
- Perfil especial para falso techo, con aletas escondidas para una máxima integración arquitectónica.
- Nueva mordaza: centraliza todas las prestaciones del sistema: regulación en altura, activación del mecanismo de frenado, y dispositivo antidescabalgamiento.
- Montaje rápido e intuitivo:
  - Acceso directo a la mordaza.
  - Sistema empotrado a falso techo: montaje en dos fases para una instalación eficiente.
  - Perfil inferior en "L" para una fácil inserción frontal del vidrio.
- Diseño limpio e innovador.
- Disponible con o sin perfil inferior para el vidrio fijo.
- Vidrio de 3/8" o 1/2" , hasta 550 lbs por hoja corredera.
- Regulación de la altura de +/- 1/8".
- Perfil de aluminio anodizado Silver, Negro y Bronce.
- Deslizamiento silencioso y con mínimo esfuerzo.
- Producto certificado con Cradle To Cradle para Rollglass+ 50 y 100.
- Garantía KLEIN® 5 años.
- Opciones de frenado de la puerta:
  - **KSC, Klein Soft Closing**: Detención suave controlada.
  - **KBS, Klein Brake System**: Tope con freno amortiguador. De serie en toda la gama.*

Sistemas testados hasta 100.000 ciclos según la norma EN1527 por IFT Rosenheim.

ROLLGLASS+ 50



ROLLGLASS+ 100



ROLLGLASS+ 150



3/8" - Just compatible with Rollglass+ 150 exposed / 3/8" - Solo compatible con Rollglass+ 150 visto

ROLLGLASS+ 250



Exposed / Visto

ROLLGLASS+ 250



Y 1 = H1 - 57 mm (2 1/4")

Z 1 = H1 - 89 mm (3 1/2")

ROLLGLASS+ 100



Y 1 = H1 - 47 mm (1 13/16")

Z 1 = H1 - 74 mm (2 7/8")

ROLLGLASS+ 150



Z = H - 79 mm (3 1/8")

Y1 = H - 54 mm (2 1/8")





KSC ROLLGLASS+ 50/100 V ≥ 800 mm (31 1/2")

KSC ROLLGLASS+ 150 V ≥ 1.000 mm (39")

KSC ROLLGLASS+ 250 V ≥ 1.500 mm (60")

Recessed / Empotrado

ROLLGLASS+ 250



Y 2 = H2 + 34 mm (1 11/32")

Z 2 = H2

ROLLGLASS+ 100



ROLLGLASS+ 150 TOP



Y2 / Z2
See our mounting instructions /
Ver nuestra hoja de instrucciones



KSC ROLLGLASS+ 50/100 V ≥ 800 mm (31 1/2")

KSC ROLLGLASS+ 150 V ≥ 1.100 mm (43")

KSC ROLLGLASS+ 250 V ≥ 1.500 mm (60")

REFERENCES / REFERENCIAS

ENG

ROLLGLASS+ 100 SILVER

Ref.	Description	Units	Img.
8453	KIT RG+ 100 KSC 118'' TRACKS	1	A+E
8454	KIT RG+ 100 KSC 157'' TRACKS	1	A+E
8463	KIT RG+ 100 KBS 118'' TRACKS	1	A+F
8464	KIT RG+ 100 KBS 157'' TRACKS	1	A+F
2493	RECESSED TRACK RG+ 118''	1	B
2494	RECESSED TRACK RG+ 157''	1	B
8400	SET OF ACC. RG+ 100 KSC	1	E
8450	SET OF ACC. RG+ 100 KBS	1	F

ROLLGLASS+ 100 BRONZE

Ref.	Description	Units	Img.
8455	KIT RG+ 100 KSC 118'' TRACKS	1	C+G
8456	KIT RG+ 100 KSC 157'' TRACKS	1	C+G
8465	KIT RG+ 100 KBS 118'' TRACKS	1	C+H
8466	KIT RG+ 100 KBS 157'' TRACKS	1	C+H
8401	SET OF ACC. RG+ 100 KSC	1	G
8451	SET OF ACC. RG+ 100 KBS	1	H

ROLLGLASS+ 100 BLACK

Ref.	Description	Units	Img.
8457	KIT RG+ 100 KSC 118'' TRACKS	1	D+I
8458	KIT RG+ 100 KSC 157'' TRACKS	1	D+I
8467	KIT RG+ 100 KBS 118'' TRACKS	1	D+J
8468	KIT RG+ 100 KBS 157'' TRACKS	1	D+J
8402	SET OF ACC. RG+ 100 KSC	1	I
8452	SET OF ACC. RG+ 100 KBS	1	J

ROLLGLASS+ 150 SILVER

Ref.	Description	Units	Img.
2549	KIT ROLLGLASS+ 150 SILVER V12 (118")	1	K
2548	KIT ROLLGLASS+ 150 SILVER V12 (157")	1	K
2541	KIT ROLLGLASS+ 150 SILVER V10 (118")	1	K
2542	KIT ROLLGLASS+ 150 SILVER V10 (157")	1	K

ROLLGLASS+ 150 BLACK

Ref.	Description	Units	Img.
2565	KIT ROLLGLASS+ 150 BLACK V12 (118")	1	L
2568	KIT ROLLGLASS+ 150 BLACK V12 (157")	1	L
2560	KIT ROLLGLASS+ 150 BLACK V10 (118")	1	L
2561	KIT ROLLGLASS+ 150 BLACK V10 (157")	1	L

ESP

ROLLGLASS+ 100 SILVER

Ref.	Descripción	U.	Img.
8453	KIT RG+ 100 KSC PERFIL 118"	1	A+E
8454	KIT RG+ 100 KSC PERFIL 157"	1	A+E
8463	KIT RG+ 100 KBS PERFIL 118"	1	A+F
8464	KIT RG+ 100 KBS PERFIL 157"	1	A+F
2493	PERFIL FALSO TECHO RG+ 118''	1	B
2494	PERFIL FALSO TECHO RG+ 157''	1	B
8400	JGO. ACC. RG+ 100 KSC	1	E
8450	JGO. ACC. RG+ 100 KBS	1	F

ROLLGLASS+ 100 BRONCE

Ref.	Descripción	U.	Img.
8455	KIT RG+ 100 KSC PERFIL 118"	1	C+G
8456	KIT RG+ 100 KSC PERFIL 157"	1	C+G
8465	KIT RG+ 100 KBS PERFIL 118"	1	C+H
8466	KIT RG+ 100 KBS PERFIL 157"	1	C+H
8401	JGO. ACC. RG+ 100 KSC	1	G
8451	JGO. ACC. RG+ 100 KBS	1	H

ROLLGLASS+ 100 NEGRO

Ref.	Descripción	U.	Img.
8457	KIT RG+ 100 KSC PERFIL 118"	1	D+I
8458	KIT RG+ 100 KSC PERFIL 157"	1	D+I
8467	KIT RG+ 100 KBS PERFIL 118"	1	D+J
8468	KIT RG+ 100 KBS PERFIL 157"	1	D+J
8402	JGO. ACC. RG+ 100 KSC	1	I
8452	JGO. ACC. RG+ 100 KBS	1	J

ROLLGLASS+ 150 SILVER

Ref.	Descripción	U.	Img.
2549	KIT ROLLGLASS+ 150 SILVER V12 (118")	1	K
2548	KIT ROLLGLASS+ 150 SILVER V12 (157")	1	K
2541	KIT ROLLGLASS+ 150 SILVER V10 (118")	1	K
2542	KIT ROLLGLASS+ 150 SILVER V10 (157")	1	K

ROLLGLASS+ 150 NEGRO

Ref.	Descripción	U.	Img.
2565	KIT ROLLGLASS+ 150 NEGRO V12 (118")	1	L
2568	KIT ROLLGLASS+ 150 NEGRO V12 (157")	1	L
2560	KIT ROLLGLASS+ 150 NEGRO V10 (118")	1	L
2561	KIT ROLLGLASS+ 150 NEGRO V10 (157")	1	L

A



B



C



D



E



F



G



H



I

J



K

L



M

N

REFERENCES / REFERENCIAS

ENG

ROLLGLASS+ 150 TOP SILVER

Ref.	Description	Units	Img.
2653	KIT ROLLGLASS+ 150 TOP SILVER V12 (118")	1	M
2654	KIT ROLLGLASS+ 150 TOP SILVER V12 (157")	1	M

ROLLGLASS+ 150 TOP BLACK

Ref.	Description	Units	Img.
2697	KIT ROLLGLASS+ 150 TOP BLACK V12 (118")	1	N
2694	KIT ROLLGLASS+ 150 TOP BLACK V12 (157")	1	N

ROLLGLASS+ 250 SILVER

Ref.	Description	Units	Img.
2524	KIT ROLLGLASS+ 250 SILVER 157''	1	O + R
2526	KIT ROLLGLASS+ 250 SILVER 236''	1	O + R

ROLLGLASS+ 250 BLACK

Ref.	Description	Units	Img.
2564	KIT ROLLGLASS+ 250 BLACK 157''	1	Q + T
2566	KIT ROLLGLASS+ 250 BLACK 236''	1	Q + T

ESP

ROLLGLASS+ 150 TOP SILVER

Ref.	Descripción	U.	Img.
2653	KIT ROLLGLASS+ 150 TOP SILVER V12 (118")	1	M
2654	KIT ROLLGLASS+ 150 TOP SILVER V12 (157")	1	M

ROLLGLASS+ 150 TOP NEGRO

Ref.	Descripción	U.	Img.
2697	KIT ROLLGLASS+ 150 TOP NEGRO V12 (118")	1	N
2694	KIT ROLLGLASS+ 150 TOP NEGRO V12 (157")	1	N

ROLLGLASS+ 250 SILVER

Ref.	Descripción	U.	Img.
2524	KIT ROLLGLASS+ 250 SILVER 157''	1	O + R
2526	KIT ROLLGLASS+ 250 SILVER 236''	1	O + R

ROLLGLASS+ 250 NEGRO

Ref.	Descripción	U.	Img.
2564	KIT ROLLGLASS+ 250 NEGRO 157''	1	Q + T
2566	KIT ROLLGLASS+ 250 NEGRO 236''	1	Q + T



O

P

Q



R



S



T



PROFILE'S DIMENSION / MEDIDAS DE LA PERFILERIA	
A	Longitud del perfil superior / Longitud del perfil superior
1	(100/ 150) A - 0,5 mts / (250) A - 2 m
2	A / 2
3	(100/ 150) A - 0,5 mts / (250 KIT 157") A - 1 m / (250 KIT 236") A - 1,5 m

416-0923-0721-V24

KLEIN

KLEIN USA, Inc.®
1 Madison Street
East Rutherford, NJ 07073

Phone: 973 246 8181
Fax: 973 246 8362
info@klein-usa.com
www.klein-usa.com

Follow us on social media
Síguenos en redes

LIMITED WARRANTY 5 YEARS

The photos, pictures, contents and products described in this catalogue are for information and guidance purposes only and therefore shall not give rise to any rights or expectations nor constitute a binding sales offer as they are protected by intellectual and industrial property rights in favour of KLEIN IBERICA, S.A.® / Las fotografías, imágenes, contenidos y productos descritos en el presente catalogo tienen carácter exclusivamente ilustrativo y orientativo por lo que no originarán derechos ni expectativas de derechos, ni constituyen una oferta comercial vinculante, resultando protegidos por derechos de propiedad intelectual e industrial a favor de KLEIN IBERICA, S.A.®